

稳压二极管 0.5W 系列

0.5W系列 型号	$V_Z@I_{ZT}$ V	I_{ZT} mA	$Z_{ZT}@I_{ZT}$ Ω	$Z_{ZK}@I_{ZK}$ Ω	I_{ZK} mA	$I_R@V_R$ μA	V_R V	外形
1N5221	2.4	20	30	1200	0.25	100	1.0	
1N5222	2.5	20	30	1250	0.25	100	1.0	
1N5223	2.7	20	30	1300	0.25	75	1.0	
1N5224	2.8	20	30	1400	0.25	75	1.0	
1N5225	3.0	20	29	1600	0.25	50	1.0	
1N5226	3.3	20	28	1600	0.25	25	1.0	
1N5227	3.6	20	24	1700	0.25	15	1.0	
1N5228	3.9	20	23	1900	0.25	10	1.0	
1N5229	4.3	20	22	2000	0.25	5.0	1.0	
1N5230	4.7	20	19	1900	0.25	5.0	2.0	
1N5231	5.1	20	17	1600	0.25	5.0	2.0	
1N5232	5.6	20	11	1600	0.25	5.0	3.0	
1N5233	6.0	20	7.0	1600	0.25	5.0	3.5	
1N5234	6.2	20	7.0	1000	0.25	5.0	4.0	
1N5235	6.8	20	5.0	750	0.25	3.0	5.0	
1N5236	7.5	20	6.0	500	0.25	3.0	6.0	
1N5237	8.2	20	8.0	500	0.25	3.0	6.5	
1N5238	8.7	20	8.0	600	0.25	3.0	6.5	
1N5239	9.1	20	10	600	0.25	3.0	7.0	
1N5240	10	20	17	600	0.25	3.0	8.0	
1N5241	11	20	22	600	0.25	2.0	8.4	
1N5242	12	20	30	600	0.25	1.0	9.1	
1N5243	13	9.5	13	600	0.25	0.5	9.9	
1N5244	14	9.0	15	600	0.25	0.1	10	
1N5245	15	8.5	16	600	0.25	0.1	11	
1N5246	16	7.8	17	600	0.25	0.1	12	
1N5247	17	7.4	19	600	0.25	0.1	13	
1N5248	18	7.0	21	600	0.25	0.1	14	
1N5249	19	6.6	23	600	0.25	0.1	14	
1N5250	20	6.2	25	600	0.25	0.1	15	
1N5251	22	5.6	29	600	0.25	0.1	17	
1N5252	24	5.2	33	600	0.25	0.1	18	
1N5253	25	5.0	35	600	0.25	0.1	19	
1N5254	27	4.6	41	600	0.25	0.1	21	
1N5255	28	4.5	44	600	0.25	0.1	21	
1N5256	30	4.2	49	600	0.25	0.1	23	
1N5257	33	3.8	58	700	0.25	0.1	25	
1N5258	36	3.4	70	700	0.25	0.1	27	
1N5259	39	3.2	80	800	0.25	0.1	30	
1N5260	43	3.0	93	900	0.25	0.1	33	

1N5261	47	2.7	105	1000	0.25	0.1	36
1N5262	51	2.5	125	1100	0.25	0.1	39
1N5263	56	2.2	150	1300	0.25	0.1	43
1N5264	60	2.1	170	1400	0.25	0.1	46
1N5265	62	2.0	185	1400	0.25	0.1	47
1N5266	68	1.8	230	1600	0.25	0.1	52
1N5267	75	1.7	270	1700	0.25	0.1	56
1N5268	82	1.5	330	2000	0.25	0.1	62
1N5269	87	1.4	370	2200	0.25	0.1	68
1N5270	91	1.4	400	2300	0.25	0.1	69
1N5271	100	1.3	500	2600	0.25	0.1	76
1N5272	110	1.1	750	3000	0.25	0.1	84
1N5273	120	1.0	900	4000	0.25	0.1	91
1N5274	130	0.95	1100	4500	0.25	0.1	99
1N5275	140	0.90	1300	4500	0.25	0.1	106
1N5276	150	0.85	1500	5000	0.25	0.1	114
1N5277	160	0.80	1700	5500	0.25	0.1	122
1N5278	170	0.74	1900	5500	0.25	0.1	129
1N5279	180	0.68	2200	6000	0.25	0.1	137
1N5280	190	0.66	2400	6500	0.25	0.1	144
1N5281	200	0.65	2500	7000	0.25	0.1	152

稳压二极管 1W 系列

1W系列 型号	$V_Z@I_{ZT}$	I_{ZT}	$Z_{ZT}@I_{ZT}$	$Z_{ZK}@I_{ZK}$	I_{ZK}	$I_R@V_R$	V_R	外形
	V	mA	Ω	Ω	mA	μA	V	
1N4728	3.3	76	10	400	1	100	1	DO-41、 DO-213AB、 DO-214AC
1N4729	3.6	69	10	400	1	100	1	
1N4730	3.9	64	9	400	1	50	1	
1N4731	4.3	58	9	400	1	10	1	
1N4732	4.7	53	8	500	1	10	1	
1N4733	5.1	49	7	550	1	10	1	
1N4734	5.6	45	5	600	1	10	2	
1N4735	6.2	41	2	700	1	10	3	
1N4736	6.8	37	3.5	700	1	10	4	
1N4737	7.5	34	4	700	0.5	10	5	
1N4738	8.2	31	4.5	700	0.5	10	6	
1N4739	9.1	28	5	700	0.5	10	7	
1N4740	10	25	7	700	0.25	10	7.6	
1N4741	11	23	8	700	0.25	5	8.4	
1N4742	12	21	9	700	0.25	5	9.1	
1N4743	13	19	10	700	0.25	5	9.9	
1N4744	15	17	14	700	0.25	5	11.4	
1N4745	16	15.5	16	700	0.25	5	12.2	

1N4746	18	14	20	750	0.25	5	13.7
1N4747	20	12.5	22	750	0.25	5	15.2
1N4748	22	11.5	23	750	0.25	5	16.7
1N4749	24	10.5	25	750	0.25	5	18.2
1N4750	27	9.5	35	750	0.25	5	20.6
1N4751	30	8.5	40	1000	0.25	5	22.8
1N4752	33	7.5	45	1000	0.25	5	25.1
1N4753	36	7	50	1000	0.25	5	27.4
1N4754	39	6.5	60	1000	0.25	5	29.7
1N4755	43	6	70	1500	0.25	5	32.7
1N4756	47	5.5	80	1500	0.25	5	35.8
1N4757	51	5	95	1500	0.25	5	38.8
1N4758	56	4.5	110	2000	0.25	5	42.6
1N4759	62	4	125	2000	0.25	5	47.1
1N4760	68	3.7	150	2000	0.25	5	51.7
1N4761	75	3.3	175	2000	0.25	5	56
1N4762	82	3	200	3000	0.25	5	62.2
1N4763	91	2.8	250	3000	0.25	5	69.2
1N4764	100	2.5	350	3000	0.25	5	76

稳压二极管 1.5W 系列

1.5W系列 型号	$V_Z@I_{ZT}$	I_{ZT}	$Z_{ZT}@I_{ZT}$	$Z_{ZK}@I_{ZK}$	I_{ZK}	$I_R@V_R$	V_R	外形
	V	mA	Ω	Ω	mA	μA	V	
1N5913	3.3	113.6	10	500	1	100	1	DO-41、 DO-214AA、 DO-214AC
1N5914	3.6	104.2	9	500	1	75	1	
1N5915	3.9	96.1	7.5	500	1	25	1	
1N5916	4.3	87.2	6	500	1	5	1	
1N5917	4.7	79.8	5	500	1	5	1.5	
1N5918	5.1	73.5	4	350	1	5	2	
1N5919	5.6	66.9	2	250	1	5	3	
1N5920	6.2	60.5	2	200	1	5	4	
1N5921	6.8	55.1	2.5	200	1	5	5.2	
1N5922	7.5	50.0	3.0	400	0.5	5	6	
1N5923	8.2	45.7	3.5	400	0.5	5	6.5	
1N5924	9.1	41.2	4	500	0.5	5	7	
1N5925	10	37.5	4.5	500	0.25	5	8	
1N5926	11	34.1	5.5	550	0.25	1	8.4	
1N5927	12	31.2	6.5	550	0.25	1	9.1	
1N5928	13	28.8	7.0	550	0.25	1	9.9	
1N5929	15	25.0	9	600	0.25	1	11.4	
1N5930	16	23.4	10	600	0.25	1	12.2	
1N5931	18	20.8	12	650	0.25	1	13.7	
1N5932	20	18.7	14	650	0.25	1	15.2	

1N5933	22	17.0	17.5	650	0.25	1	16.7
1N5934	24	15.6	19	700	0.25	1	18.2
1N5935	27	13.9	23	700	0.25	1	20.6
1N5936	30	12.5	28	750	0.25	1	22.8
1N5937	33	11.4	33	800	0.25	1	25.1
1N5938	36	10.4	38	850	0.25	1	27.4
1N5940	43	8.7	53	950	0.25	1	32.7
1N5941	47	8.0	67	1000	0.25	1	35.8
1N5942	51	7.3	70	1100	0.25	1	38.8
1N5943	56	6.7	86	1300	0.25	1	42.6
1N5944	62	6.0	100	1500	0.25	1	47.1
1N5945	68	5.5	120	1700	0.25	1	51.2
1N5946	75	5.0	140	2000	0.25	1	56
1N5947	82	4.6	160	2500	0.25	1	62.2
1N5948	91	4.1	200	3000	0.25	1	69.2
1N5949	100	3.7	250	3100	0.25	1	76
1N5950	110	3.4	300	4000	0.25	1	83.6
1N5951	120	3.1	380	4500	0.25	1	91.2
1N5952	130	2.9	450	5000	0.25	1	98.8
1N5953	150	2.5	600	6000	0.25	1	114
1N5954	160	2.3	700	6500	0.25	1	121.6
1N5955	180	2.1	900	7000	0.25	1	136.8
1N5956	200	1.9	1200	8000	0.25	1	152

稳压二极管 5W 系列

5W系列 型号	$V_Z@I_{ZT}$	I_{ZT}	$Z_{ZT}@I_{ZT}$	$Z_{ZK}@I_{ZK}$	I_{ZK}	$I_R@V_R$	V_R	外形
	V	mA	Ω	Ω	mA	μA	V	
1N5333	3.3	380	3	400	1	300	1	DO-201AE
1N5334	3.6	350	2.5	500	1	150	1	DO-201AE
1N5335	3.9	320	2	500	1	50	1	DO-201AE
1N5336	4.3	290	2	500	1	10	1	DO-201AE
1N5337	4.7	260	2	450	1	5	1	DO-201AE
1N5338	5.1	240	1.5	400	1	1	1	DO-201AE
1N5339	5.6	220	1	400	1	1	2	DO-201AE
1N5340	6.0	200	1	300	1	1	3	DO-201AE
1N5341	6.2	200	1	200	1	1	3	DO-201AE
1N5342	6.8	175	1	200	1	10	5.2	DO-201AE
1N5343	7.5	175	1.5	200	1	10	5.7	DO-201AE
1N5344	8.2	150	1.5	200	1	10	6.2	DO-201AE
1N5345	8.7	150	2	200	1	10	6.6	DO-201AE
1N5346	9.1	150	2	150	1	7.5	6.9	DO-201AE
1N5347	10	125	2	125	1	5	7.6	DO-201AE
1N5348	11	125	2.5	125	1	5	8.4	DO-201AE

1N5349	12	100	2.5	125	1	2	9.1	DO-201AE
1N5350	13	100	2.5	100	1	1	9.9	DO-201AE
1N5351	14	100	2.5	75	1	1	10.6	DO-201AE
1N5352	15	75	2.5	75	1	1	11.5	DO-201AE
1N5353	16	75	2.5	75	1	1	12.2	DO-201AE
1N5354	17	70	2.5	75	1	0.5	12.9	DO-201AE
1N5355	18	65	2.5	75	1	0.5	13.7	DO-201AE
1N5356	19	65	3	75	1	0.5	14.4	DO-201AE
1N5357	20	65	3	75	1	0.5	15.2	DO-201AE
1N5358	22	50	3.5	75	1	0.5	16.7	DO-201AE
1N5359	24	50	3.5	100	1	0.5	18.2	DO-201AE
1N5360	25	50	4	110	1	0.5	19	DO-201AE
1N5361	27	50	5	120	1	0.5	20.6	DO-201AE
1N5362	28	50	6	130	1	0.5	21.2	DO-201AE
1N5363	30	40	8	140	1	0.5	22.8	DO-201AE
1N5364	33	40	10	150	1	0.5	25.1	DO-201AE
1N5365	36	30	11	160	1	0.5	27.4	DO-201AE
1N5366	39	30	14	170	1	0.5	29.7	DO-201AE
1N5367	43	30	20	190	1	0.5	32.7	DO-201AE
1N5368	47	25	25	210	1	0.5	35.8	DO-201AE
1N5369	51	25	27	230	1	0.5	38.8	DO-201AE
1N5370	56	20	35	280	1	0.5	42.6	DO-201AE
1N5371	60	20	40	350	1	0.5	45.5	DO-201AE
1N5372	62	20	42	400	1	0.5	47.1	DO-201AE
1N5373	68	20	44	500	1	0.5	51.7	DO-201AE
1N5374	75	20	45	620	1	0.5	56	DO-201AE
1N5375	82	15	65	720	1	0.5	62.2	DO-201AE
1N5376	87	15	75	760	1	0.5	66	DO-201AE
1N5377	91	15	75	760	1	0.5	69.2	DO-201AE
1N5378	100	12	90	800	1	0.5	76	DO-201AE
1N5379	110	12	125	1000	1	0.5	83.6	DO-201AE
1N5380	120	10	170	1150	1	0.5	91.2	DO-201AE
1N5381	130	10	190	1250	1	0.5	98.8	DO-201AE
1N5382	140	8	230	1500	1	0.5	106	DO-201AE
1N5383	150	8	330	1500	1	0.5	114	DO-201AE
1N5384	160	8	350	1650	1	0.5	122	DO-201AE
1N5385	170	8	380	1750	1	0.5	129	DO-201AE
1N5386	180	5	430	1750	1	0.5	137	DO-201AE
1N5387	190	5	450	1850	1	0.5	144	DO-201AE
1N5388	200	5	480	1850	1	0.5	152	DO-201AE